Avery Dennison®

Digital Media Guide





Digital Media Applications			Compatibility		Applications ¹						Outdoor Durability (Up to X Years)								Adhesive Removability			Conformability												
Face Finish Adhesive		Solvent	UV-Curable	Latex Inks	Fleet/Vehicles	Transit/Bus	Vehicle Windows	Marine/Watercraft	Backlit Signs	Smooth Interior Walls ⁴	Textured Walls	POP/Tradeshow	Window Graphics (Flat)	Outdoor Signage	Indoor Floor Graphics ³	Unprinted	DOL 1060 Max	DOL 1360 Max	DOL 6460 and DOL 6470 PVC Free	DOL 1000Z Series	DOL 1300Z Series	DOL 1460Z	DOL 2000 Series	DOL 3000 Series	Clean	Clean with Heat	Permanent	Flat with Rivets	Compound Curves	Rivets/Corrugation	Flat / Simple Curves	Flat		
	MPI 1105 Easy Apply™ RS	Gloss	LTR	~	~	~												7	7 V 2 H	7 V 2 H	6 V 3 H	5	4	4	-	-		~		~	~	~	~	~
ility	MPI 1105 Easy Apply™	Gloss	LTR	~	~	~												7	7 V 2 H	7 V 2 H	6 V 3 H	5	4	4	-	-		~		~	~	~	~	~
cast Jurab	MPI 1105	Gloss	LTR	~	~	/												7	7 V 2 H	7 V 2 H	6 V 3 H	5	4	4	-	-		~		~	~	~	~	~
Supercast 7-10 Year Durability	MPI 1106 Hi Tack Easy Apply™	Gloss	Perm	~	~	~												7	7 V 2 H	7 V 2 H	6 V 3 H	5	4	4	-	-			~	~	~	~	~	~
7-10	MPI 1405 PVC Free Easy Apply™ RS	Gloss	LTR	~	~	/												12	7 V 2 H	7 V 2 H	6 V 3 H	-	_	-	-	-		~		~	~	~	~	~
	MPI 1060 Transparent	Gloss	Perm		~													7	7 V 2 H	7 V 2 H	5	5	4	4	-	-			~	~	~	~	~	~
	MPI 2050 Translucent	Matte	Perm	~	~	~												6	5	4	5	5	4	4	3	2			~				~	~
	MPI 2105 Easy Apply™ RS¹	Gloss	LTR	~	~	~												6	5	4	5	5	4	4	3	2		~					~	~
red	MPI 2105 Easy Apply™1	Gloss	LTR	~	~	~												6	5	4	5	5	4	4	3	2		~					~	~
lende ility	MPI 2120	Matte	Perm	~	~	/												6	5	4	5	5	4	4	3	2			~				~	~
ce Ca Durab	MPI 2121 Transit Vinyl ^{1,2}	Matte	Rem	~	~	~												1	1	1	1	1	1	1	1	1	~						~	~
Performance Calendered 4-6 Years Durability	MPI 2126 Hi Tack Easy Apply™	Matte	Perm	~	~	/												6	5	4	-	5	4	4	3	2			~				~	~
Perfc 4-6)	MPI 2610 Wall Film ²	Luster	Perm	~	~	~												4	3	3	3	3	3	3	3	2			~				~	~
High	MPI 2611 Wall Film ²	Luster	Rem	~	~	~												4	3	3	3	3	3	3	3	2	~						~	~
	MPI 2630 Textured Wall Film ²	Textured	Perm	~	~	~												3	-	-	-	-	_	_	-	-			~				~	~
	MPI 2631 Textured Wall Film ²	Textured	Rem	~	~	~												3	-	-	-	-	-	-	-	-	~						~	~

Product is recommended for these applications. For a more specific product recommendation, please consult your Avery Dennison Technical Representative.

¹-Refer to product and instructional bulletins for application recommendations and limitations.

²-This product has flame resistance rating of class 1 or A per the ASTM-E84 (BLDG) test.

Digital Media Applications			Compatibility		Applications ¹							Outdoor Durability (Up to X Years)									Adhesive Removability			Conformability										
Face Finish Adhesive		Adhesive	Solvent	UV-Curable	Latex Inks	Fleet/Vehicles	Transit/Bus	Vehicle Windows	Marine/Watercraft	Backlit Signs	Smooth Interior Walls ⁴	Textured Walls	POP/Tradeshow	Window Graphics (Flat)	Outdoor Signage	Indoor Floor Graphics ³	Unprinted	DOL 1060 Max	DOL 1360 Max	DOL 6460 and DOL 6470 PVC Free	1000Z Ser	DOL 1300Z Series	DOL 1460Z	DOL 2000 Series	DOL 3000 Series	Clean	Clean with Heat	Permanent	Flat with Rivets	Compound Curves	Rivets/Corrugation	Flat / Simple Curves	Flat	
	MPI 2528 Perforated Window 50/50	Matte	Rem	~														3	1	1	-	1	1	1	-	-	>						~	~
	MPI 2728 Perforated Window 65/35	Matte	Rem	~														3	_	1	-	_	1	_	_	_	~						~	~
p	MPI 2903 Easy Apply™	Gloss	Perm	~	~	~												5	5	4	3	5	4	4	3	2			~				~	~
nder	MPI 2903	Gloss	Perm	~	~	~												5	5	4	3	5	4	4	3	2			~				~	~
ediate Calendered Years Durability	MPI 2902	Gloss	Rem	~	~	~												5	5	4	3	5	4	4	3	2	~						~	~
	MPI 2922	Matte	Rem	~	~	~												5	5	4	3	5	4	4	3	2		~					~	~
Intermediate 2-5 Years I	MPI 2923 Easy Apply™	Matte	Perm	~	~	~												5	5	4	4	5	4	4	3	2			~				~	
Intel 2	MPI 2923	Matte	Perm	~	~	~												5	5	4	4	5	4	4	3	2			~				~	~
	MPI 2920	Matte	Perm	~	~	~												5	5	4	3	5	4	4	3	2			~				_	✓
	MPI 2921 Easy Apply™ and StaFlat™	Matte	Rem	~	_	~												1	1	1	1	1	1	1	1	1	/						_	
יב ס	MPI 3300 & MPI 3303	Gloss	Perm	~	_	~												3	3	3	3	3	3	3	3	2			~				_	
dere abilit	MPI 3302	Gloss	Rem	~		~												3	3	3	3	3	3	3	3	2	/						~	
Promo Calendered 1-3 Years Durability	MPI 3323	Matte	Perm	~		~												3	3	3	3	3	3	3	3	2			~				~	
mo C Ýears	MPI 3320	Matte	Perm	~		~												3	3	3	3	3	3	3	3	2			~				_	
Prol	MPI 3322	Matte	Rem	~		~												3	3	3	3	3	3	3	3	2	/						_	
<u>£</u>	SF 100-103	Gloss	Rem			_												2	_	_	_	_	_	_	_	_								
Specialty	Ultra Clear SF 100 Polyester	Gloss	Perm															2	2	2	2	2	2	2	2	2			~				\dashv	
	SF Series V4000 White LTR	Gloss	LTR															7	5	4	6	5	4	4	_	_							_	
Reflective	Beaded Reflective Film VisiFlex™ V8000 Series Reflective Film	Gloss	Perm	~	~	~												7	5	4	-	5	4	4	-	-	-		~	•			~	~

 ³ - Laminate required for all floor graphics. Expected durability is up to 6 months.
 ⁴ - Purchaser is responsible to check adhesion of wall films to specific paint surface prior to installation.

MPI – Multi-Purpose Ink Jet Media: Supercast Films

MPI 1105: Premium Color and Print Performance

Avery Dennison MPI 1105 is a supercast film designed to meet the growing demand for quick-change graphics and messaging on unique and complex surfaces including vehicles, exterior walls and even floors.

This supercast film can be applied in a variety of ways, including fleet and consumer vehicles, for maximum brand and personal expression. From gas pumps to mobile billboards, from corporate signage to highly contoured applications with tight recesses, this product delivers superior performance and ease of use. This formulation delivers exceptional print and ink robustness across all digital platforms, including latex technology.



MPI 1105 is ideally suited for vehicle and fleet graphics.

Supercast Films Premium cast vinyl for superior conformability and maximum dura	bility.	
MPI 1105 Easy Apply™ RS	A006089	60" x 250 yd
2.0 mil White Gloss vinyl with a long term removable adhesive.	A006090	60" x 100 yd
Designed for vehicle and fleet wraps. Ideal for compound	A006091	60" x 50 yd
curves and over rivets and corrugation. Excellent printability	A006092	54" x 250 yd
across all platforms, including HP Latex Technology. Features	A006093	54" x 100 yd
Avery Dennison Easy Apply and Easy Apply RS repositionable	A006094	54" x 50 yd
feature for mistake-free, easy installations.	A006095	54" x 25 yd
	A006096	48" x 50 yd
	A006097	30" x 50 yd
MPI 1105 Easy Apply™	A006098	60" x 250 yd
2.0 mil White Gloss vinyl with long term removable adhesive.	A006099	60" x 100 yd
Designed for vehicle and fleet wraps. Ideal for compound curves	A006100	60" x 50 yd
and over rivets and corrugation. Excellent printability across	A006101	54" x 250 yd
all platforms, including HP Latex Technology. Features Avery	A006102	54" x 100 yd
Dennison Easy Apply feature for simple bubble-free installations	A006103	54" x 50 yd
on smooth surfaces.	A006104	48" x 250 yd
	A006105	48" x 100 yd
	A006106	48" x 50 yd
MPI 1105 2.0 mil White Gloss vinyl with long term removable adhesive.	A006107	60" x 50 yd
Designed for vehicle and fleet wraps. Ideal for compound curves and over rivets and corrugation. Excellent printability	A006038	54" x 50 yd
across all platforms, including HP Latex Technology.	A006109	48" x 50 yd
MPI 1106 Hi-Tack Easy Apply™ 2.1 mil White Gloss Cast vinyl with clear hi-tack adhesive. Conformable film designed for use in demanding applications	A006110	60" x 50 yd
such as low energy substrates, including plastics, powder coated paints, fiberglass, clear coats and painted metal surfaces. Ideal for compound curves and over rivets and corrugation.	A006111	54" x 50 yd
MPI 1405 PVC Free Easy Apply™ RS 2.0 mil Polyurethane vinyl with long term removable adhesive.	A019091	54" x 50 yd
PVC-Free film designed for textured wall surfaces, such as brick and cinderblock applications. Pair with DOL 6460.	A019092	60" x 50 yd
MPI 1060 Transparent	A001401	60" x 100 yd
2.1 mil Clear Gloss vinyl with a clear permanent adhesive. Super	A001407	60" x 50 yd
smooth film with permanent adhesive for use in vehicle, fleet and	A003402	48" x 100 yd
window applications over flat or compound curved surfaces.	A001454	48" x 50 yd

The DOL Max Series, DOL 1000Z Series, DOL 1300Z Series, DOL 1460Z and PVC Free DOL 6460 and DOL 6470 films are optimized to pair with the MPI 1105 Supercast series for maximum durability.

Multi-Purpose Ink Jet Media: High Performance Calendered

MPI 2611 Starts Engines at Dallara IndyCar Factory

For applications that require a moderate level of durability and the ability to handle simple curves, choose a High Performance Calendered Film.

The \$7 million Dallara IndyCar Factory in Speedway, Indiana houses the first factory and engineering center Dallara Automobili has established outside of its home in Parma, Italy. The U.S. headquarters for the Italian automotive manufacturer is a high-tech facility, including a race track, that is less than a half mile from the historic Indianapolis Motor Speedway, home of the Indy 500. When it came time to create the environmental graphics for the IndyCar Racing Experience in the 23,000 square foot complex, the design team turned to long-standing partner Freelance Graphics, Inc. who selected MPI 2611 luster opaque calendered wall film for the job.



"We have been using Avery Dennison graphics products for many years. The products perform consistently in terms of the print quality and installation."

Andy Heller, Freelance Graphics, Inc.

High Performance Calendered Premium calendered vinyl for slightly curved surfaces and mod	derate durability.	
MPI 2050 Translucent	A004229	60" x 50 yd
3.4 mil White Matte Translucent Calendered film with a permanent	A004228	54" x 50 yd
adhesive for illuminated signage with great image quality.	A004230	54" x 25 yd
MPI 2105 Easy Apply™ RS 3.1 mil White Gloss opaque vinyl with a long term removable adhesive. This next generation digital film was designed for vehicle, fleet and general sign applications. Features the	A002588	60" x 50 yd
Avery Dennison Easy Apply and Easy Apply RS repositionable feature for mistake-free, easy installations.	A002539	60" x 50 yd
MPI 2105 Easy Apply™ 3.1 mil White Gloss opaque vinyl with a long term removable adhesive. Designed for vehicle, fleet and general sign	A002585	60" x 50 yd
applications. Features the Avery Dennison Easy Apply feature for mistake-free, easy installations.	A002538	54" x 50 yd
MPI 2120	A003392	60"x100yd
3.4 mil White Matte opaque vinyl with a clear permanent	A001072	60" x 50 yd
adhesive. Designed for Wall Murals, POP/Tradeshow,	A001040	54"x100yd
Window Graphics and outdoor signage.	A001092	54" x 50 yd
	A003391	48"x100 yd
	A001485 A002491	48" x 50 yd
	A002491	30" x 50 yd
MPI 2121 Transit Vinyl 3.4 mil White Matte opaque vinyl with a clear removable	A001435	48"x100 yd
adhesive. Perfect for all temporary transit graphic applications and general removable signage.	A004210	54" x 50 yd
MPI 2126 Hi Tack Easy Apply™ 3.4 mil White Matte opaque vinyl with a high tack Easy Apply adhesive. Designed for use on low surface energy substrates	A005721	60" x 50 yd
and adhesive-resistant surfaces such as plastics, powder coated paints, fiberglass and painted metal surfaces.	A005722	54" x 50 yd
MPI 2610 Wall Film	A020242	54"x100yd
6 mil White Luster opaque vinyl film with a permanent	A020243	54" x 50 yd
adhesive, designed specifically for wall graphic applications.	A020244	54" x 25 yd
MPI 2611 Wall Film	A002511	54"x100yd
6 mil White Luster opaque calendered vinyl film with a removable	A004225	54" x 50 yd
adhesive, designed specifically for wall graphic applications.	A004226	54" x 25 yd
MPI 2630 Textured Wall Film	A006013 Canvas	54" x 25 yd
6 mil to 8 mil Low Gloss White textured calendered film	A006014 Canvas	60" x 25 yd
with permanent adhesive, designed for indoor wall graphic	A006015 Stucco	54" x 25 yd
applications that require a unique and dynamic surface. Textures	A006016 Stucco	60" x 25 yd
include Pure Canvas, Crushed Stone and Natural Stucco.	A006017 Crushed Stone	54" x 25 yd
	A006018 Crushed Stone	60" x 25 yd
MPI 2631 Textured Wall Film 6 mil to 8 mil Low Gloss White textured calendered film	A006040 Canvas	54" x 25 yd
with a removable adhesive, designed for indoor wall graphic applications that require a unique and dynamic surface.	A006041 Canvas	60" x 25 yd

MPI – Multi-Purpose Ink Jet Media: Intermediate Calendered Film

MPI 2900 Series Transforms
Ingraham High School Athletic Facility

Choose an Intermediate Calendered Film when the application requires a flat surface and a medium level of durability against the elements.

Ingraham High School's gymnasium, with floors and bleachers that date back to the year the school opened, was selected as one of four schools to receive an athletic facility renovation this year. The transformation was aired in the second episode of the ESPN original series RISE UP. SuperGraphics selected the MPI 2900 Series of Intermediate Calendered films, for the project.



"Avery Dennison products provide us the versatility to perform a wide variety of unique installations with exceptional outcome."

Josh Carl, VP Operations for SuperGraphics

Intermediate Calendered Medium term durability films for flat applications.		
MPI 2528 Perforated Window 50/50 7 mil White/Black Perforated Vinyl with removable adhesive - 1.5mm hole pattern for use on exterior-mount, one-way visual panels for vehicle and stationary windows.	A001444	54" x 25 yd
MPI 2728 Perforated Window 65/35 7 mil White/Black Perforated Vinyl with removable adhesive - 1.5mm hole pattern for use on exterior-mount, one-way visual panels for stationary windows.	A001522	54" x 25 yd
MPI 2903 Easy Apply™	A002619	60" x 50 yd
3.0 mil White Gloss opaque vinyl with a permanent adhesive. Designed for short to mid term applications on flat surfaces. Ideal for POP, trade show,	A002621	54" x 100 yd
indoor/outdoor window graphics and general signage. Features the Easy	A002620	54" x 50 yd
Apply feature for smooth, error-free applications on flat surfaces.	A002623	30" x 50 yd
MPI 2903	A001518	60" x 50 yd
3.0 mil White Gloss opaque vinyl with a permanent adhesive.	A001519	54" x 50 yd
Designed for short to mid-term applications on flat surfaces. Ideal for POP, trade show, indoor/outdoor graphics and general signage.	A002469	30" x 50 yd
MPI 2902 3.0 mil White Gloss opaque vinyl with a removable adhesive. Designed for short to mid-term applications on flat surfaces. Ideal for POP, trade show, indoor/outdoor graphics and general signage.	A001498	54" x 50 yd
MPI 2900 3.0 mil White Gloss opaque vinyl with a clear permanent adhesive.	A001445	54" x 50 yd
Designed for short to mid-term applications on flat surfaces. Ideal for POP, trade show, indoor/outdoor graphics and general signage.	A001448	60" x 50 yd
MPI 2923 Easy Apply™	A002625	60" x 50 yd
3.4 mil White Matte opaque vinyl with a permanent adhesive. Designed for short to mid-term applications on flat surfaces. Ideal for POP, trade	A002627	54" x 100 yd
show, indoor/outdoor graphics and general signage. Features the Easy	A002626	54" x 50 yd
Apply feature for smooth, error-free applications on flat surfaces.	A002629	30" x 50 yd
MPI 2923	A001413	60" x 50 yd
3.4 mil White Matte opaque vinyl with a permanent adhesive.	A005281	54" x 100 yd
Designed for short to mid-term applications on flat surfaces. Ideal for POP, trade show, indoor/outdoor graphics and general signage.	A002493	54" x 50 yd
MPI 2921 StaFlat" 3.4 mil White Matte opaque flexible calendered vinyl with a removable adhesive, designed for general signage, POP and indoor/outdoor advertising.	A002467 A001099	30" x 50 yd 54" x 50 yd
MPI 2921 Easy Apply™	A005677	60" x 100 yd
3.4 mil White Matte opaque flexible calendered vinyl with a removable	A005678	60" x 50 yd
adhesive, perfect for remarking and changeable applications.	A005692	54" x 100 yd
	A005693	54" x 50 yd
MPI 2920 3.4 mil White Matte opaque flexible vinyl film with a clear permanent adhesive. Designed for short to mid-term applications on flat surfaces. Ideal for POP, trade show, indoor/outdoor graphics and general signage.	A001098	54" x 50 yd
MPI 2922	A001403	60" x 50 yd
3.4 mil White Matte opaque vinyl with a removable adhesive.	A002472	54" x 50 yd
Designed for short to mid-term applications on flat surfaces. Ideal	71002112	

MPI – Multi-Purpose Ink Jet Media: Promo Calendered & Specialty Films

SF 100 Vinyl Reimagined at Yale University

When the application requires short-term durability for timely promotions and events, Promo Calendered and Specialty Films are an excellent solution.

Vinyl is most commonly used for commercial applications, from in-store brand signage to wayfinding and informational graphics. It's something the world accepts at face value when observed, and the intent behind the graphics is communicated. But that's only half of the equation; the other half lies in how those messages are received and interpreted, and in the meaning that is created by communication with vinyl. The Yale MFA Graphic Design student exhibition, "New Business," featured eight Avery Dennison cast and calendered vinyl films, including SF 100 Specialty vinyl films.



"The Avery Dennison broad color palette even made us consider the uniqueness of what we were communicating."

João Doria, Yale University

Promo Calendered Monomeric vinyl for flat surface and short term durability.		
MPI 3300 3 mil White Gloss vinyl with a clear permanent adhesive. Designed for short-term indoor/outdoor use on POP, trade show and general signage applications.	A003663	54" x 50 yd
MPI 3302	A003933	60" x 50 yd
3 mil White Gloss opaque vinyl with a removable adhesive. Designed	A003934	60" x 100 yd
for short-term indoor or outdoor use on POP, trade show and general	A003931	54" x 50 yd
signage applications.	A003932	54" x 100 yd
	A003929	30" x 50 yd
MPI 3303	A003879	60" x 50 yd
3 mil White Gloss opaque vinyl with a permanent adhesive. Designed	A003881	60" x 100 yd
for short-term indoor or outdoor use on POP, trade show and general	A003857	54" x 50 yd
signage applications.	A003868	54" x 100 yd
	A003841	30" x 50 yd
MPI 3320 3 mil White Matte vinyl with a clear permanent adhesive. Designed for short-term indoor or outdoor use on POP, trade show and general signage applications.	A003815	54" x 50 yd
MPI 3322	A003966	54" x 50 yd
3 mil White Matte opaque vinyl with a removable adhesive. Designed for short-term indoor or outdoor use on POP, trade show and general	A003977	60" x 50 yd
signage applications.	A003937	30" x 50 yd
MPI 3323	A003922	60" x 50 yd
3 mil White Matte opaque vinyl with a permanent adhesive. Designed	A003926	60" x 100 yd
for short-term indoor or outdoor use on POP, trade show and general	A003919	54" x 50 yd
signage applications.	A003921	54" x 100 yd
	A003917	30" x 50 yd
MPI 3901 2.6 mil White Semi-Gloss vinyl with a removable adhesive and PVC	A006433	54" x 50 yd
free. Designed for short-term, POP advertising, wall murals, trade show and outdoor signage.	A006434	60" x 50 yd

Specialty		
SF 100-103	A000490	60" x 50 yd
2 mil Clear Gloss polyester with an ultra removable adhesive on	A000487	48" x 250 yd
a 5 mil polyester liner. Designed for flat applications on glass	A000482	54" x 50 yd
and other smooth surfaces.	A000488	48" x 50 yd
	A000474	54" x 250 yd
	A000492	60" x 250 yd
	A000485	48" x 10 yd
	A000491	54" x 100 yd
	A000486	48" x 100 yd
SF 100 Polyester Series High Gloss films which are clear, white or metalized. These environmentally responsible products are UV printable on a 90 pound liner.	See data sheet for details.	

DOL – Digital Overlaminates: Ultimate Cast

West County Roofing & Construction Retrofits Work Trucks with DOL 1360 Max

Work trucks take a beating. So when West County Roofing & Construction wanted to retrofit their fleet of work trucks with new branding, they turned to John Duever and his company Vinyl Images. Vinyl Images recommended MPI 1105 Easy Apply™ RS and paired the film with DOL 1360 Max digital overlaminate. The benefit of the combination is the installation ease and the self-healing, gloss properties of the DOL 1360 Max, which protects printed graphics and makes the vehicle easy to clean.



"MPI 1105 is second to none when it comes to installation ease. We added DOL 1360 Max digital overlaminate to protect the printed graphics and make the truck easy to clean. This is the third vehicle in their fleet that we will be retrofitting with new graphics and the DOL Max."

John Duever, president, Vinyl Images

For optimum printed graphic film durability, pair MPI 1105 Supercast series films with DOL Max films, DOL Z series films and PVC Free DOL 6460 and DOL 6470.

Ultimate Cast Premium Cast films for maximum durability and comformability. Designed	to work with	MPI Cast films.
DOL 1060 Max	A473092	54" x 50 yd
2.1 mil thick gloss film with outstanding durability and outdoor performance, especially for vehicle and fleet wraps.	A473093	54" x 100 yd
Features a permanent adhesive and synthetic liner that creates a super smooth finish which provides an overall	A473095	60" x 50 yd
paint-like effect for printed graphics.	A473097	60" x 100 yd
DOL 1360 Max Optically Clear 1.3 mil thick optically clear overlaminate film with a super smooth	A473334	54" x 50 yd
high gloss finish and excellent UV, temperature, humidity, and salt- spray resistance. Features a permanent adhesive and synthetic liner	A473335	54" x 100 yd
that creates a super smooth finish which provides an overall paint-like effect for printed graphics.	A473337	60" x 50 yd
DOL 1060Z	A006130	60" x 100 yd
2.1 mil Clear Gloss cast vinyl film with a smooth PET liner and	A006131	60" x 50 yd
permanent adhesive. Designed to provide maximum protection to printed graphics and conformability over rivets. Ideal for vehicle and	A006132	54" x 100 yd
fleet graphics with flat or compound curves.	A006133	54" x 50 yd
	A006134	54" x 25 yd
₂ √3122g,	A006148	48" x 100 yd
<u>"М</u> "	A006149	48" x 50 yd
9	A006150	30" x 50 yd
DOL 1080Z	A006151	60" x 50 yd
2.1 mil Clear Matte cast vinyl film with a kraft paper liner and permanent adhesive. Designed to provide maximum	A006152	54" x 100 yd
protection to printed graphics and conformability over rivets.	A006153	54" x 50 yd
Ideal for vehicle and fleet graphics with flat or compound curves.	A006154	54" x 25 yd
,	A006155	48" x 50 yd
₩	A006156	30" x 50 yd
DOL 1360Z Optically Clear	A006157	60" x 50 yd
1.3 mil Ultra Clear Gloss cast vinyl film with a smooth PET liner and	A006158	54" x 50 yd
permanent adhesive. Designed to provide maximum protection, clarity, and conformability to printed graphics. Ideal for vehicle,	A006159	54" x 25 yd
fleet and window graphics with compound curves.	A006160	48" x 50 yd
	A006161	30" x 50 yd
DOL 1370Z	A006162	60" x 50 yd
1.3 mil Clear Luster cast vinyl film with a kraft paper liner and	A006163	54" x 50 yd
permanent adhesive. Designed to provide maximum protection to printed graphics and conformability over rivets and corrugation.	A006164	54" x 25 yd
Ideal for vehicle and fleet graphics compound curves.	A006165	48" x 50 yd
DOL 1380Z	A006166	60" x 50 yd
1.3 mil Clear Matte cast vinyl film with a kraft paper liner and	A006167	54" x 50 yd
permanent adhesive. Designed to provide maximum protection to printed graphics and conformability over rivets and corrugation.	A006168	54" x 25 yd
Ideal for vehicle, fleet graphics compound curves.	A006169	48" x 50 yd
DOL 1460Z	A006170	60" x 50 yd
1.3 mil Clear Gloss film with a smooth PET liner and permanent	A006171	54" x 50 yd
adhesive. Highly conformable overlaminate for the toughest,	A006172	54" x 25 yd
most irregular surfaces.	A006173	48" x 50 yd



DOL, HP and Promo Calendered, Specialty and Reflective Films

High Performance Calendered Designed for MPI 2000 Series print films			
DOL 2060		A004128	60" x 50 yd
3.1 mil Clear Gloss film on a kraft paper liner with	SLASSIFIED	A004127	54" x 50 yd
permanent adhesive. Designed for short to medium	(VL)	A004126	54" x 25 yd
term durability on flat to simple curve applications.		A002484	30" x 50 yd
DOL 2070		A001455	60" x 50 yd
3.1 mil Clear Luster film on a kraft paper liner with		A001117	54" x 50 yd
permanent adhesive. Designed for short to medium	SLASSIFIED	A004113	54" x 25 yd
term durability on flat to simple curve applications.	(UL)	A002483	48" x 50 yd
		A002482	30" x 50 yd
DOL 2080		A004148	60" x 50 yd
3.1 mil Clear Matte film on a kraft paper liner with	SLASSIFIED	A004134	54" x 50 yd
permanent adhesive. Designed for short to medium	(UL)	A004132	48" x 50 yd
term durability on flat to simple curve applications.		A002485	30" x 50 yd

Promo Calendered Designed for MPI 3000 Series Films			
DOL 3060		A002497	60" x 50 yd
3.2 mil Clear Gloss film with a kraft paper liner and permanent adhesive. Designed for short term		A002498	54" x 50 yd
protection on flat surface applications.	QL)	A002499	30" x 50 yd
DOL 3070		A002494	60" x 50 yd
3.2 mil Clear Luster film with a kraft paper liner and permanent adhesive. Designed for short term		A002495	54" x 50 yd
protection on flat surface applications.	ŲL)	A002496	30" x 50 yd
DOL 3080		A002500	60" x 50 yd
3.2 mil Clear Matte film with a kraft paper liner and permanent adhesive. Designed for short term	SURSSIFIED	A002501	54" x 50 yd
protection on flat surface applications.	QL)	A002502	30" x 50 yd

High Visibility Reflective Films				
VisiFlex™ V8000 Series Prismatic reflective white vinyl with PERM/90#	A020220	48" x 25 yd		
liner. 8x more reflective than beaded films. Designed for fleet and vehicle applications.	A020221	48" x 5 yd		
V4000 White LTR Beaded Reflective	LTR A135507 Perm A135468	48" x 10 yd		
Beaded reflective white vinyl with PERM/90#	LTR A135508 Perm A135481	48" x 50 yd		
and LTR/EZRS liner. Designed for commercial,	LTR A135444 Perm A135482	48" x 100 yd		
fleet and signage applications.	LTR A135445 Perm A135483	48" x 250 yd		

Specialty		
DOL 6460 Gloss	A005615	60" x 50 yd
1.5 mil Clear Gloss urethane film with permanent adhesive and a smooth PET liner. PVC Free.	A005632	54" x 50 yd
DOL 6470 Luster 1.5 mil thick Clear Luster urethane film with permanent adhesive	A473222	54" x 50 yd
and a kraft paper liner. PVC Free.	A473224	60" x 50 yd
DOL 6060 Anti-Graffiti	A001543	60" x 50 yd
1 mil Clear Gloss PET film with a kraft paper liner. Designed as a graffiti	A001542	54" x 50 yd
resistant laminate on flat applications. Excellent solvent resistance.	A001544	54" x 25 yd
	A001545	48" x 50 yd
DOL 6040 Sparkle 3 mil Clear Sparkle Gloss cast vinul film with a permanent adhesive	A005753	54" x 50 yd
and a PET liner. Designed to provide protection and an added sparkle effect to printed graphics.	A005754	60" x 50 yd



Photo courtesy of HDFive / Horvath Design, Grand Rapids, MI



Warranty Coverage By Printer Manufacturer

Printer Manufacturer	Model	Ink Name	Ink Type	Warranty Type		Approved Graphics Protection**	
				ICS PG (Printer Specific)	ICS Platinum*	DOL Series	Approved Liquid Clears
Agfa	Annapurna RTR3200i	1501	UV	~	-	~	-
	Grand Sherpa	Eco Solvent Plus	Eco-Solvent	~	-	~	_
	JETI (formerly Gandi)	HL V2	Solvent	~	~	~	-
	JETI Tauro H3300	Annuvia	UV	~	-	~	_
Canon	Colorado 1560	UVGel460	UV	~	-	~	_
Durst	Rho 160, 160+	UV	UV	~	-	~	_
	312r, 320r, 351r, 57r, 512r	UV	UV	~	~	~	~
Epson	GS6000	UltraChrome GS	Eco Solvent	~	-	~	_
	SC40600, SC60600 & SC80600	UltraChrome GS3	Eco Solvent	~	-	~	_
	SC-30760 & SC-50760	UltraChrome GS2	Eco Solvent	~	-	~	_
	SC-70670	UltraChrome GSX	Eco Solvent	~	-	~	_
НР	Designjet H35100, 35500, 45100, 45500	SolaChrome-UV	UV	~	-	~	_
	Designjet L25500 Series	L789	Latex	~	~	~	_
	Designjet 260, 280, L26500, L28500	L792	Latex	~	~	~	-
	Designjet LX 600, LX 800, LX 65500	LX600	Latex	~	~	~	_
	Designjet 820, 850, LX 820, LX 850	LX 610	Latex	~	~	~	-
	L1500, L3000, L3500, 3200, 3500 and 3600 Series	881 / 891	Latex	~	~	✓	-
	Designjet L300 & L500 Series	831 / 871	Latex	~	~	~	-
	R1000/2000	882	Latex	~	~	~	-
Mimaki	JV3 Series	SS2	Mild Solvent	~	_	~	-
	JV33, CJV30, CJV300 Series	SS21	Mild Solvent	~	_	~	-
	JV5	HS1	Solvent	~	-	~	-
	UVJ-160 Hybrid UV LED	LF-200	UV	~	-	~	-
	UCJV 300 Series	LUS 170	UV	~	-	~	-
	UCJV Series	LUS 200	UV	~	_	~	_

^{*} Printer and shop must be certified on a case-by-case basis. Contact your Avery Dennison sales representative for more details.

^{**} This chart is an overview of the Avery Dennison warranty program. Please consult the actual warranty document for complete details on ink, graphic protection and media recommendations.

Warranty Coverage By Printer Manufacturer

Printer Manufacturer	Model	Ink Name	Ink Type	Warranty Type		Approved Graphics Protection**	
				ICS PG (Printer Specific)	ICS Platinum*	DOL Series	Approved Liquid Clears
Mutoh	ValueJet Series	Eco-Ultra	Eco Solvent	~	-	~	_
Ricoh	Pro L5130/60 Series	Pro AR	Latex	~	-	~	-
Roland	VersaCaMM Series	ECO-SOL MAX ECO-SOL MAX2	Eco Solvent Eco Solvent	~	-	~	-
	VersaExpress Series	ECO-SOL MAX2	Eco Solvent	~	_	~	_
	VersaArt Series	ECO-SOL-MAX	Eco Solvent	~	-	~	_
	SolJet Pro II Series	ECO-SOL MAX	Eco Solvent	~	-	~	_
	SolJet Pro III Series	ECO-SOL MAX	Eco Solvent	>	-	~	_
	SolJet Pro IV Series	ECO-SOL MAX2	Eco Solvent	>	-	~	_
	AJ Series	Eco-Xtreme	Solvent	~	-	~	_
OKI (Seiko)	Color Painter 64s/100s	EG-Outdoor LX	Solvent	~	~	~	-
	Color Painter V-64S	EG-Outdoor EX	Solvent	~	~	~	-
	Color Painter H-74s/H104s	EG-Outdoor GX	Solvent	~	~	~	_
	Color Painter H2-74s/H2-104s	EG-Outdoor GX	Solvent	~	~	~	-
	Color Painter E-64S	SX	Solvent	~	~	~	~
	Color Painter M-64S	SX	Solvent	~	~	~	~
	Color Painter W-54s/W-64s	EG-Outdoor GX	Solvent	~	~	~	-
	Color Painter H3-104	SX	Solvent	~	~	~	-
EFI (VUTEk)	UltraVu 150, 2360, 2260, 5300, 5330	UltraVu5	Solvent	~	~	~	~
	GS 3250	GS Premium	UV	~	~	~	-
	GS 3200r / GS 5000r Series	GSr Premium	UV	~	~	~	-
	GS 3200r / GS 5000r Series	GSLXr SuperFlex Ink	UV	~	~	~	-
	UltraVu UV Series	UV 200	UV	~	-	~	-
	3r / 5r	GSLXr SuperFlex Ink	UV	~	-	~	-

For more information on Avery Dennison products and services, contact your sales representative or call Customer Service at 800.282.8379.

Visit us online at graphics.averydennison.com



graphics.averydennison.com

4358173 04/2023

Kingston Coatings, LLC
Sidney McAlister 615-491-4265
Main 615-952-4903 Text 24/7 615-330-5294
sales@kingstoncoatings.com
www.kingstoncoatings.com

All statements, technical information and recommendations about Avery Dennison products are based upon tests and information believed to be reliable but do not constitute a guarantee or warranty of any kind. All Avery Dennison products are sold with the understanding that Purchaser has independently determined the suitability of such products for its intended and other purposes.